



Half Slotted Metal Framing Strut Channel Unistrut 41x41

Our Product Introduction

for more products please visit us on channel-fittings.com

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: HENG TONG
- Certification: ISO9001:2008
- Model Number: slotted strut channel
- Minimum Order Quantity: 500 meters
- Price: \$2.00 - \$3.00/meters
- Packaging Details: c channel are packed in Bundles and strips or by wooden pallets
- Supply Ability: 20000 Piece/Pieces per Month



Product Specification

- Standard: AISI, ASTM, Bs, DIN, JIS
- Dimensions: Strut Channel, 41*21, 41*25, 41*35, 41*41, 41*62, 41*82
- Grade: Carbon Steel Or Stainles Steel
- Shape: C Channel
- Application: Steel Structure Hanging&Support System
- Perforated Or Not: Not Perforated
- Product Name: Slotted Strut Channel
- Processing: Cold Bending/Roll Forming
- Samples Days: 3-5 Days
- Material: Low-carbon Steel
- Length: Normal 3m Or 6m, Other Lengths Are Available
- Surface Treatment: PG, Powder Coated, EG, HDG
- Technique: Cold Bending Steel Channel
- Thickness: 1.5mm, 2.0mm, 2.5mm, 3.0mm



More Images



Product Description

slotted strut channel

They can withstand harsh environmental conditions, including extreme temperatures, humidity, and chemical exposure.

Strut channels are often used in seismic applications, providing stability and resistance to seismic activities. They meet industry standards and certifications for safety and performance, ensuring reliable and compliant installations.

Brief Description:

Product name: slotted strut channel

C channel sizes: 41*21mm, 41*25mm, 41*35mm, 41*41mm, 41*62mm, 41*82mm, back to back 41*21mm, 41*25mm, 41*35mm, 41*41mm, 41*62mm, 41*82mm.

Length: Standard length is 3m or 6m, other lengths are acceptable.

Thickness: 1.5mm, 2.0mm, 2.5mm, or others according to your requirements.

Style: Plain or Slotted.


Slots: 76*10.5mm with 100mm on center, 28*14 with 50 on center, 18*9 or 30*13 with 50 on center, 62.5*13.5 with 100 on center, 30*11 with 50 on center

Material: Carbon steel Q235 OR Stainless Steel SS304 or SS316

slotted strut channel Dimension as follows:

P41 系列支架及其组合 P41 SERIES CHANNELS AND COMBINATIONS

标准系列 STANDARD SERIES



Slotted Series and Light Channel Series for slotted strut channel:



冲孔形式 SLOT SERIES

SL



Slots are 76x10.5
100 on center

T



Slots are 28x14
50 on center

ST



Slots are 18x9,30x13 alternate
50 on center

SL12



Slots are 62.5x13.5
100 on center

T10



Slots are 30x11
50 on center

订购冲孔支架时请注明支架型号
Please specify channel type when
ordering slotted channels.
例Example: P4121-SL

轻型支架系列 LIGHT CHANNEL SERIES

P2525



1.5mm thickness



P2525-T



Slots are 32x8.5
50 on center

P3232



2mm thickness



P3232-T




Slots are 32x8.5
50 on center

slotted strut channel Combinations:



P4141 复合支架 P4141 Channel Combinations



说明: 支架的最大均布荷载按下式计算

Note: Maximum uniformly distributed load of channel to be calculated per the following formula:

$$W_{\max} = \frac{8 M}{L}$$

W_{\max} 最大均布荷载(KN)
 Max.Uniform Load
 M 允许力矩(N.m)
 Allowable Moment
 L 长度(m)
 Length

slotted strut channel Application:

slotted strut channel is used to mount, brace, support, and connect lightweight structural loads in building construction. These include pipes, electrical and data wire, mechanical systems such as ventilation, air conditioning, and other mechanical systems. Strut channel is also used for other applications that require a strong framework, such as workbenches, shelving systems, equipment racks, etc. Specially made sockets are available to tighten nuts, bolts etc. inside the channel, normal sockets are unable to fit through the opening.

slotted strut channel Details:




Packaging & Shipping

By sea	Shanghai port, Ningbo port or others
By air	Shanghai Pudong port
By express	DHL, TNT, FedEx, UPS etc

slotted strut channel Packaging Details:

slotted strut channel Engineering Projects:



Other Related products for C channel



About us

Wuxi Hengtong Metal Framing System Co., Ltd(HENGTONG) is one of the well established firms in Wuxi for the past 20 years meeting the requirements of Pipe Supporting Systems. We have a good contact with domestic and foreign manufacturers and suppliers producing and supplying original branded pipe supporting materials. It provide kinds of quality and original products for clients. HENGTONG manufacture P41 series strut channels, U shape channels, angle steels, channel fittings, brackets, cantilever arms, beam clamps, pipe clamps etc. Our factory is located in Wuxi which is about 130km from Shanghai port, which is very convenient to deliver goods.

WE ARE A TEAM TO SUPPORT YOU!



For more information, please feel free to contact me as follows:

Business Card

Company: Wuxi Hengtong Metal Framing System Co., Ltd
 Address: No.19 Nanhu Road, Nanquan Town, Wuxi 214128, China
 Contact: Janie
 Mob: +86-138 1228 2938
 Skype: jannie.yu88
 Tel: +86-510-6878 3383
 Fax: +86-510-68783390
 Web: <http://www.htstrut.com>



Wuxi Hengtong Metal Framing System Co., Ltd.



+86 15251535252



elinglu@htstrut.com



channel-fittings.com

No 6 East Dingxiang Road Hudai Industry Zone Wuxi City 214161 China