



4 Pipe Beam Clamp Pipe Hanger 316 Stainless Steel PO Type Conduit Hanger

Our Product Introduction

for more products please visit us on channel-fittings.com

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: HENG TONG
- Model Number: PO-065
- Minimum Order Quantity: 500 pieces
- Price: \$0.50 - \$3.50/pieces
- Packaging Details: carton box and then pallet.
- Supply Ability: 500000 Piece/Pieces per Month




Product Specification

- Material: Metal
- Standard Or Nonstandard: Standard
- Usage: Pipe Clamp
- Structure: Saddle Clamp
- Port: Shanghai
- Highlight: 4 pipe clamp hanger, 4 pipe hanger clamp, 316 stainless steel pipe hangers



More Images




Product Description

PO type pipe Hanger or Conduit Hanger
pipe clamp with rubber

Absorb shock and vibration, reduce unwanted noise, and prevent galvanic corrosion. Fit any standard strut channel. Interlock edges and channel locator legs help ensure that the cushion remains in place. Corrosion-resistant yellow dichromate-plated steel with elastomer cushion.

The Cushion clamp provides the user with a choice of the highest heat range resistance of any cushion on the market or simply the advanced features of a superior design.

→ PO型管夹 PO-Type Pipe/Conduit Hanger



15 巴恒通 HENG TONG

无锡市恒通动力配件有限公司 WUXI HENG TONG METAL FRAMING SYSTEM CO., LTD.

巴恒通 HENG TONG

→ 抗震管夹 Seismic pipe clamp

技术参数:

- 两个锁紧螺母，方便根据管道尺寸规格进行调节
- 可用作轴向支撑和横向支撑的支架连接
- 与抗震转接件或结构连接件配合使用，可很好地抵抗轴向力、横向力
- 可轴向调节搭配使用的抗震转接件，调节到合适的安装角度
- 适用于DN 250 以下的各类管道

Specification:

- Two lock nut, convenient and adjustable for the pipe size
- Can be used as a support and horizontal axial support bracket connection
- Used with other seismic products, to improve the axial and lateral resistance capability
- Work with other axial seismic connectors, adjust to the appropriate installation angle
- Suitable for all pipes under DN 200

规格 Part No.	管道规格 Pipe Size	螺栓规格 Bolt Size	最大设计载荷 Max. Horizontal Design Load (UL)	重量 Wt.
	DN (mm)	mm	mm	g
PO-065	DN 65	M12	6.75	500
PO-080	DN 80	M12	6.75	550
PO-100	DN 100	M12	7.11	1002
PO-125	DN 125	M12	7.11	1147
PO-150	DN 150	M12	8.96	2327
PO-200	DN 200	M12	8.96	2726
PO-250	DN 250	M12	10.0	3500

Features

A: Thumb Drive

The Cushion clamp has the exclusive "Thumb Drive" that provides the installer a gripping point to easily open the cushion with the help of leverage tabs and a living hinge. Easy and effortlessly to install.

B: Self-Alignment

Cushion can be opened and placed over the pipe or tube and rotated into place while on the channel and automatically aligned with the channel opening ready for clamping. No more pre-installing cushions or awkward installation. Cushion replacement has been made simple and easy.

C: Pressure Control

The cushion has a built in squeeze control as part of the cushion design. The side opening and the squeeze control tab provides evenly distributed pressure around the tube or pipe.

D: Complete Clamping Unit

It is the only strut mounted cushion that is mechanically connected to the supporting steel clamp because the bolt passes through the squeeze control tab forming the single unit connection. This design helps prevent the cushion from excess vibration by being attached directly to the clamp.



Pipe size: 1/8", 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2" and so on.
 Thickness: 1.5mm, 2.0mm, 2.5mm, 3mm, 3.5mm.
 Design load: 1.8KN, 2.7KN, 3.6KN, 4.4KN.
 Material: carbon steel, copper, stainless steel.
 Finish: EG, HDG, Dacromet.

Company Information

Wuxi Hengtong Metal Framing System Co., Ltd(HENGTONG) is one of the well established firms in Wuxi for the past 20 years meeting the requirements of Pipe Supporting Systems. We have a good contact with domestic and foreign manufacturers and suppliers producing and supplying original branded pipe supporting materials. It provide kinds of quality and original products for clients. HENGTONG manufacture P41 series strut channels, U shape channels, angle steels, channel fittings, brackets, cantilever arms, beam clamps, pipe clamps etc. Our factory is located in Wuxi which is about 130km from Shanghai port, which is very convenient to deliver goods.



Why choose us?

1. Customized service is available according to the customers' requirement
2. OEM is available
3. High quality & competitive price
4. Good after-sale service

Packaging & Shipping

Material in stock can be produced (procedure 5-20days) right away after pre-payment confirmation. COSCO Mearsk MSCship to worldwide for safe shipping, don't worry about package damage or loss. It takes about 15-40 days to worldwide, Please note us your contact details include your phone number for easy contacting from shipping company officer.

By sea	Shanghai port, Ningbo port or others
By air	Shanghai Pudong port
By express	DHL, TNT, FedEx, UPS etc



Wuxi Hengtong Metal Framing System Co., Ltd.



+86 15251535252



elinglu@htstrut.com



channel-fittings.com

No 6 East Dingxiang Road Hudai Industry Zone Wuxi City 214161 China